IN ELL LERARY

180

"St. Audrey's" E L Y.

To The Chairman & Members of the Ely Urban District Council.

I beg to submit to you my Annual Report for the year ending December 31st., 1925.

GENERAL STATISTICS.

Area (acres	16,742
Population (1925)	7,621
Census 1911	7,917
" 1921	7,651

The Urban area consists of partly highland and partly fen, and includes the Villages of Stuntney, Adelaide, Prickwillow and Chettisham.

The City of Ely is situated on an eminence rising to a height of 89 feet above sea level. The contour of the surrounding country is flat with small eminences rising above the general level of the fen lands, noticeably at Quanea, Stuntney and Shippea, etc.

The soil is partly drift and lower green sand resting on a substratum of kiumeridge clay.

The bulk of the population is engaged in agriculture, including fruit growing and market gardening. There is a Beet Sugar Factory at Adelaide which was completed last year. There is also the Brewing industry in Ely, and Leather industry.

No.	of	inhabited	houses	(1921)	1848	structurally
						separate dwellings.

No. of families (or separate occupiers)(1921) 1868

Rateable value £57,011.8.8.

Sum represented by 1d. Rate £ 131. 9. 5.

VITAL STATISTICS.

Males. Females. Total 61. 60. 121.

Legitimate. Illegitimate.

Males. Females. Males. Females.

60. 57. 1. 3.

Birth rate per 1,000 15.37

do. (England & Wales) 18.30

Deaths.

Total number from all causes 113

Death rate 14.90

do. (England & Wales) 12.20

THE RESERVE OF THE PARTY OF THE all other positions and a second of the second

THE PARTY OF THE P

THE R.

. ")

DEVENDON TO BE WELL . . .

Application of the Person

- 1 . . .

THE PART OF THE PA

. . . .

THE PERSON NAMED IN

1 4 10 10 10 10

18 42 1131 a

77

Of non-residents register residents not register	red in d	listr:	ict	11
Number of women dying in, or of, childbirth:-	in conse	quen	эе	
From sepsis Other causes	l Nil			
Deaths of Infants under 1 year	r of age	;		10
Infant mortality (Legit	timate gitimate	•	10 Nil }	
Rate per 1,000 Births do. (England & Wales)	82 75	2.60 5.000		
Deaths from Measles do. Whooping cough do. Diarrhoea (Under	2 1ma)		Ni1 2 Ni1	
Deaths of elderly persons over			ملك ملك ∀لت	
years of age	. 0)		64	
Senile mortality percentage of total deaths	•		57.1	
Deaths from Cancer and allied	maligna	int	,	
disease			16	
		Male:		Females
		Male		9
disease		Male:	3	9
Canoer mortality Deaths from chief respiratory		Male:	14.2 5 10 12	9
Canoer mortality Deaths from chief respiratory do. Tuberculosis Causes of death		Male: 7	14.2 5 10 12	9 % Females
Canoer mortality Deaths from chief respiratory do. Tuberculosis Causes of death Enterio fever		Male: 7	14.2 5 10 12	9 % Females
Canoer mortality Deaths from chief respiratory do. Tuberculosis Causes of death Enterio fever Whooping oough		Male: 7	14.2 5 10 12	9 % Females
Canoer mortality Deaths from chief respiratory do. Tuberculosis Causes of death Enterio fever		Male: 7	14.2 5 10 12	9 % Females
Canoer mortality Deaths from chief respiratory do. Tuberculosis Causes of death Enterio fever Whooping oough Tuberculosis (respiratory)		Male: 7	14.2 5 10 12	9 % Females
Canoer mortality Deaths from chief respiratory do. Tuberculosis Causes of death Enterio fever Whooping cough Tuberculosis (respiratory) Other tuberculous diseases Cancer and malignant disease Diabetes		Male: 7 ss Male:	14.2 5 10 12	9
Canoer mortality Deaths from chief respiratory do. Tuberculosis Causes of death Enteric fever Whooping cough Tuberculosis (respiratory) Other tuberculous diseases Cancer and malignant disease Diabetes Cerebral Haemorrhage		Male: 7 ss Male:	14.2 5 10 12	Females 1 1 6 2 9 1
Cancer mortality Deaths from chief respiratory do. Tuberculosis Causes of death Enterio fever Whooping cough Tuberculosis (respiratory) Other tuberculous diseases Cancer and malignant disease Diabetes Cerebral Haemorrhage Heart disease		Male: 7 ss Male:	14.2 5 10 12	Females 1 1 6 2 9 1
Canoer mortality Deaths from chief respiratory do. Tuberculosis Causes of death Enteric fever Whooping oough Tuberculosis (respiratory) Other tuberculous diseases Cancer and malignant disease Diabetes Cerebral Haemorrhage Heart disease Bronchitis		Male:	14.2 5 10 12	Females 1 1 6 2 9 1
Canoer mortality Deaths from chief respiratory do. Tuberculosis Causes of death Enteric fever Whooping cough Tuberculosis (respiratory) Other tuberculous diseases Cancer and malignant disease Diabetes Cerebral Haemorrhage Heart disease Bronchitis Pneumonia		Male: 7 2 2 7 2 5 5 1 1	14.2 5 10 12	Females 1 1 6 2 9 1
Canoer mortality Deaths from chief respiratory do. Tuberculosis Causes of death Enteric fever Whooping cough Tuberculosis (respiratory) Other tuberculous diseases Cancer and malignant disease Diabetes Cerebral Haemorrhage Heart disease Bronchitis Other respiratory diseases		Male:	14.2 5 10 12	Females 1 1 6 2 9 1
Canoer mortality Deaths from chief respiratory do. Tuberculosis Causes of death Enteric fever Whooping cough Tuberculosis (respiratory) Other tuberculous diseases Cancer and malignant disease Diabetes Cerebral Haemorrhage Heart disease Bronchitis Pneumonia Other respiratory diseases Puerperal sepsis		Male: 7 2 5 5 1 1 1 -	14.2 5 10 12	Females 1 1 6 2 9 1
Canoer mortality Deaths from chief respiratory do. Tuberculosis Causes of death Enteric fever Whooping cough Tuberculosis (respiratory) Other tuberculous diseases Cancer and malignant disease Diabetes Cerebral Haemorrhage Heart disease Bronchitis Pneumonia Other respiratory diseases Puerperal sepsis Congenital debility, etc.		Male: 7 Male: 1227255111	14.2 5 10 12	9 % Females
Cancer mortality Deaths from chief respiratory do. Tuberculosis Causes of death Enteric fever Whooping cough Tuberculosis (respiratory) Other tuberculous diseases Cancer and malignant disease Diabetes Cerebral Haemorrhage Heart disease Bronchitis Pneumonia Other respiratory diseases Puerperal sepsis Congenital debility, etc. Suicide		Male: 7 2 2 7 2 5 5 1 1 1 2 1	14.2 5 10 12	Females 1 1 6 2 9 1
Cancer mortality Deaths from chief respiratory do. Tuberculosis Causes of death Enteric fever Whooping cough Tuberculosis (respiratory) Other tuberculous diseases Cancer and malignant disease Diabetes Cerebral Haemorrhage Heart disease Bronchitis Pneumonia Other respiratory diseases Puerperal sepsis Congenital debility, etc. Suicide Other deaths from violence		Male: 7 Male: 1227255111	14.2 5 10 12	Females 1 1 6 2 9 1
Cancer mortality Deaths from chief respiratory do. Tuberculosis Causes of death Enteric fever Whooping cough Tuberculosis (respiratory) Other tuberculous diseases Cancer and malignant disease Diabetes Cerebral Haemorrhage Heart disease Bronchitis Pneumonia Other respiratory diseases Puerperal sepsis Congenital debility, etc. Suicide		Male: 7 Male: 1227255111	14.2 5 10 12	9 Females 1 1 6 2 9 1 - 9 4 2 1 1 1 - 17
Cancer mortality Deaths from chief respiratory do. Tuberculosis Causes of death Enteric fever Whooping cough Tuberculosis (respiratory) Other tuberculous diseases Cancer and malignant disease Diabetes Cerebral Haemorrhage Heart disease Bronchitis Pneumonia Other respiratory diseases Puerperal sepsis Congenital debility, etc. Suicide Other deaths from violence		Male: 7 2 2 7 2 5 5 1 1 1 2 1 4	14.2 5 10 12	Females 1 1 6 2 9 1

Inquests

Name of the Party 1.12 the section with the party of the section of the se 45 01 07 50 TO THE STATE OF TH The second section of the second section is not a second section of the second section in the second section is not a second section in the second section in the second section is not a second section in the second section in the second section is not a second section in the second section in the second section is not a second section in the second section in the second section in the second section is not a second section in the second section in the second section is not a second section in the second section in the second section is not a second section in the second section in the second section is not a second section in the second section in the second section is not a second section in the second section in the second section is not a second section in the second section in the second section is not a second section in the second section in the second section is not a second section in the second section in the second section is not a section in the second section in the second section is not a section in the second section in the section is not a section in the section in the section is not a section in the section in the section is not a section in the section in the section is not a section in the section in the section is not a section in the section in the section in the section in the section is not a section in the secti THE RESERVE OF THE PARTY OF AND THE PARTY OF The state of the s . .

2 Same 2

The recognition

PREVALENCE OF, AND CONTROL OVER, INFECTIOUS DISEASES.

Since 1920 there have been a certain number of Scarlet fever and Diphtheria cases yearly, the incidence being as follows:-

1920. 1921. 1922. 1923. 1924. 1925.

Scarlet fever 26. 41. 3. 3. 14. 13.

Diphtheria 5. 3. - 4. 18. 1.

Antitoxin is freely used. Practically in every case of Diphtheria.

There have been a few cases of second attacks and return cases of Scarlet fever.

1920. 1921. 1922. 1923. 1924. 1925.

Pnagmonia incidence 9. 19. 6. 7. 2. 8.

Chiokenpox do. 4. 44. 57.

One case of Encephalitis Lechargica was notified and Cerebro spinal meningitis.

Two cases of Enteric fever below Adelaide - from River Water.

LABORATORY WORK.

Arrangements are made by the Council with the Clinical Research Association to carry out Bacteriological examination of specimens sent by Medical Practitioners in the district, and these are fully taken advantage of by the local medical men.

Tuberculosis 23 negative 4 positive 27
Diphtheria 58 " 17 " 75
Enteric 5 " 6 " 11

113.

No primary or revaccinations have been performed by the Medical Officer of Health as such under the Public Health (Smallpox Prevention) Regulations, 1917, but according to the Returns of Births, etc. there were 69 vaccinations and 65 exemptions.

Measles has been very prevalent during the year, especially in the Villages.

No deaths from Influenza were registered during the year although there was an epidemic in the early months of the year most with gastro intestinal symptoms.

Disinfection of premises, eto. is regularly carried out in all cases of notifiable diseases; clothing, bedding, etc. being removed and disinfected at the Isolation Hospital.

-1 1000

The second secon

District on the second second second second second

and the second second second

THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN

The second secon

CHARLES THE CONTRACT OF THE PARTY OF THE PAR

A Control of the Control

The state of the s

muli.

The same of the sa

NOTIFIABLE DISEASES DURING THE YEAR.

Disease.		То	tal cases.	Cases admitted to Hospital.	Deaths.
~			•••		
Smallpox	• • •		Nil		-
Soarlet fever			1 3.	13.	
Diphtheria	• • •		~~~	13. 1.	_
			7		1.
Enterio	• • •	• • •	3. 3.	3.	alle de
Pneumonia	• • •		8.	end.	-
Erysipelas	• • •		1.		-
Malaria		• • •	2.	•••	_
	• • •				
Cerebro spinal		• • •	1.	40	_
Encephalitis le	ethargioa -	• • •	1.	***	-
Chickenpox	• • •		57.	-	

TUBERCULOSIS.

Age periods.		ew case		lmonary.	Pulm		eaths. Ton-pul	monery F.
o 1 5 10 15 20 25 35 45 55 65 & upwards	1 1 1	- - 2 - 2 - 2	1	111	1	32	1	- 1 - - - -
Totals	3	5	2	2	1	6	1	2

GENERAL PROVISION OF HEALTH SERVICES IN AREA.

Hospitals provided or subsidized by Local Authority or County Council.

(a) (i) Tuberoulosis - None.

Surgical cases are sent to Addenbrooke's Hospital at Cambridge and paid by County Council.

The County Council have the call on a certain number of beds in Sanatoria outside the District.

(ii) Maternity. Two Maternity wards at Tower House Infirmary.

the second secon

			SEMIT
	AND AND A SHIPE		

1000

				-	20.0	
	11		37 1			
		1				
					**	".

The second section of the second section is a second section of the second section of

- Westernood In the

And the second s

AND DESCRIPTION OF THE REAL PROPERTY AND ADDRESS OF THE REAL PROPERTY AND ADDRESS OF THE PARTY ADDRESS OF THE PARTY AND A

The same of the Association and the Contract of the Contract o

(iii) Children. Nil

3

- (iv) Fever. The Ely Urban and Rural Joint Hospital is available for Scarlet Fever, Diphtheria and Enteric.

 Number of beds 36. Can be increased to 40.
- (v) Small pox. Nil.
- (b) The only general Hospital for the district is
 Addenbrooke's Hospital, Cambridge. 16 miles away.
 There is also the Infirmary at Tower House, Ely,
 which is not sufficiently large or equipped to cope with
 the needs of the area.
- (c) Any Institutional provision for unmarried Mothers, Illegitimate children and homeless children in area.

The Diocesan Refuge, The Haven, Ely, supported by valuntary contributions, in connection with which there is a Maternity Home at Cambridge.

The Guardians have a Children's Home in the Grounds of Tower House.

- (d) Ambulance Facilities.
 - (a) In Infectious cases. The Ely Urban & Rural Joint Isolation Hospital have a Motor Ambulance.
 - (b) In non-infectious cases. Red Cross Ambulance at Cambridge.
 Private Ambulance at a local Carage.

CLINICS AND TREATMENT CENTRES.

Maternity & Child Welfare Clinic.	Downham Road, Ely.	By the Isle of Ely County Council.
School Clinic. Tuberculosis Clinic. Venereal Disease Clinic.	do. do. Addenbrooke's Hospital, Cambridge.	do . do . do .

PUBLIC HEALTH STAFF.

- 1 Medical Officer of Health (part time) who is also Medical Officer to Ely Urban & Rural Joint Isolation Hospital, and Tower House Infirmary.
- 1 Inspector of Nuisances.
- 1 Inspector of Meat under Public Health (Meat) Regulations, 1924

PROFESSIONAL NURSING IN THE HOME.

- (a) General. There are two trained Nurses provided by the Ely Nursing Association, supported by voluntary contributions and small payments by Patients.
- (b) In Infectious Diseases (Measles, etc.). No provision.
- (c) Midwives. There is one Nurse Midwife provided by Ely Nursing Association, a small Grant being given by County Council.

 In addition there are two Certified Midwives practising in the area.

10 - 10 01

J. 1 - 1 14 - 19

. The second sec

THE PERSON NAMED IN

and the state of t

AND DESCRIPTION OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED

The second secon

CONTRACTOR OF THE PARTY AND TH

and the same of th

LEGISLATION IN FORCE.

Public Health Act, 1875. Infectious Diseases Prevention Act, 1890. Public Health (Meat) Regulations, 1924.

SANITARY CIRCUMSTANCES OF THE AREA.

Water. The supply for Ely proper, Stuntney, Adelaide and Prickwillow is obtained from Waterworks situated at Isleham - 12 miles distant.

The source of the supply is from the chalk formation. Depth of Well - 90 feet.

The supply is constant and ample.

No possibility of contamination.

In Prickwillow, Adelaide and Stuntney Standpipes are provided, and also a certain number of houses have been connected up.

Rivers & Streams. Both River Ouse and River Lark are polluted by Sewage and Effluent from Beet Sugar Factories at Ely and Bury St. Edmunds.

Drainage & Sewerage. In Town proper Water Closets are universal. In surrounding district and Villages - Pail Closets and Privies.

All houses in Ely are connected with Sewers and each house is supplied with water for flushing.

The Sewage is collected in Sewage Tank which is emptied twice a year, the overflow passing into the River.

Scavenging. Daily collection of Refuse by the Council's carts. Every House visited three times a week. All moveable Ashbins used. No fixed receptacles in Ely.

Sanitary Inspection of the area. The number of Inspections is 77, exclusive of re-visits, relating to nuisances from insanitary premises, defective drainage, piggeries, slaughterhouses, cowsheds, bakehouses and schools. Informal notice given in 30 cases, as follows:

These all received attention and defects remedied. Formal notice served and action taken by the Council in 1 case.

Schools. Ten Schools have been inspected and only minor defects noted.

Adelaide
Prickwillow
Shippea Hill
Chettisham
Stuntney
Broad Street (Infants')
Silver Street (Boys')
do. (Girls')
Back Hill (Boys')
Market Street (Mixed)

The Control of the Co A PERSON LAND

The chief item of interest in the district is the Beet Sugar Factory, erected in 1925.

The campaign commenced before the buildings were out of the Contractors hands, consequently there were certain irregularities and defects in the sanitation which now have been corrected.

and defects in the sanitation which now have been corrected. The treatment of the Effluent from Beet Sugar Factories is a serious problem for the contry, where this industry is quite in its infancy. On the Continent, where this industry has been in progress 60 years, they have not, as yet, solved the difficulty.

Locally we are concerned with the Effluent from the Ely Factory, and also the Bury St. Edmunds Factory, as the River Lark passes through a portion of the Urban District of Ely, and many people are dependent on this River for their water supply.

The trouble seems to be that the effluent discharged contains material which is a suitable medium for bacterial action in certain conditions of the water, when putrescent action takes place, releasing certain gases which are fatal to fish life.

We have suggested that improvement might be effected if the filter-press cake was eliminated from the effluent, and the diffusion waters were treated with milk of lime before entering the settling pond.

before entering the settling pond.

Also that the settling pond should be made more efficient by baffles and such like means to help precipitate more of the solid matter before embying into the outfall.

of the solid matter before emptying into the outfall.

The Clerk and I have visited and made enquiries with regard to other Factories, and also investigated the effects on the Fish, etc. in other Rivers and many analyses have been taken of the polluted waters. This has entailed a great deal of extra work.

Naturally one does not wish to put too many obstacles in the way of a new industry.

INSPECTION & SUPERVISION OF FOOD.

- (a) Milk Supply. The samples of milk taken for analysis have been satisfactory.
 - (i) Action taken as to tuberoulous milk and cattle Nil.
 - (ii) Number of Licenses granted for sale of Milk under special designations ... 1.
 - (iii) Refusal or revocation of Licenses to sell Milk Nil.
- (b) Meat. One Inspector (part time) under Public Health (Meat) Regulations, 1924, has been appointed.

One caroase was found to be unfit for human food and was accordingly destroyed.

Private Slaughter-houses are as follows :-

		In 1920.	I	n Janua: 1925.	ry, In	December, 1925.
Registered Licensed	• • •	3 2	•••	3 2		3 2
	TOTAL	5	• • •	5		5

COLUMN TO VAN THEORY

The state of the s 37 - 17 - 1 F3T3 - 1 V - 1 - 0 3270-277121 488

-1: m. m = -1 = 11 = 10 = 2 = 2 = 2 = 2 = 2

the state of the s

and the second s

HOUSING.

Extent of shortage. Probably a further 40 or 50 Houses of the Farlour type.

39 new Dwellinghouses have been erected during the year, including 7 in connection with the new Sugar Factory, 13 built by private enterprise and ranking for financial assistance, and the remainder by the Local Authority as part of their Scheme.

General Standard of Housing in the area. Fairly good. There is very little House property which could be termed "dilapidated."

Defects found to exist. These are chiefly winor in character. Examples are as follows:-

"Windows should be made to open"
"Cross Ventilation required"
"Additional W. Cs. to be provided"
"Paving in Yards"
etc.

Housing statistics:-

Number of new houses erected during the year :-

- (a) Total ... 39
- (b) With State assistance
 - (i) By Local Authority 19
 - (ii) By other bodies or persons 13

Inspection - Nil.

Proceedings - Nil.

I beg to remain,

Yours faithfully,

F. H. BECKETT, B. A., M. B.,

Medical Officer of Health.